Amateur Radio

JOURNAL OF THE WIRELESS INSTITUTE OF AUSTRALIA

For the Experimenter and Radio Enthusiast



9_{D.}

It's the valve that makes the music **PHILIPS**

INNOVAL

Registered at G.P.O., Melbourne, for transmission by post as a parisdical.

"HAM" RADIO SUPPLIERS

(KEN MILLBOURN, PROP.)

5A Melville Street, Hawthorn, Victoria

East Kew Tram Passes Corner, opposite Vogue Theatre. Money Orders and Postal Notes payable North Hawthorn P.O. Packing Charge on all goods over 10 lbs. in weight, 5/- extra.

	New Valves	Just Arrived =	
807, American £1	35T Eimac £4	954 American 12/6	EF50 12/6
830B, R.C.A £1	35TG Eimac £4/5/-	955 ,, 12/6	RL18 13/-
834, R.C.A £1			
Tes	sted Valves fro	m Disposal Ge	ar
1G4 7/6 6C5		6SN7 15/- 12SK7	. 10/- 813 60/-
1K7 7/6 6C6 1L5 7/6 6F5	7/6 6K7G 7/6 10/- 6L7 10/-	6SS7 10/- 12SQ7 12A6 10/- 12SR7	10/- 832 50/- 10/- 956 10/-
3A5 10/- 6F6	10/- 6N7 10/-	12AH7 10/- 1629	10/- 9004 10/-
	10/- 6SH7 5/-	12H6 10/- 45 12J5 10/- 809	
6B4 10/- 6H6 6B5 7/6	5/-	12SG7 10/-	
JUST ARRIVE	D-HUGE STOC	K OF 68H7s &	
TOWARD THE ATT W.	OF THE PROPERTY.	DESTRUCTION OF STREET	So 19/ DAGE

National NC120 Receiver, 10 valves, band coverage 550 Ke. to 30 Mc. in five bands. Xtal filter, etc. Operates off 110 volt AC. Complete with step-down transformer. £42/10/-As traded

AR7 Receiver and Power Supply. Frequency coverage 150 Kc, to 25 Mc. As traded Command Receivers, range 6 to 9 Mc. Complete with Valves £7/10/- each High Frequency Receiver AR301, uses three 954, one 955; six 6AC7 IF, stages at 30 Mc. Easily converted to 144 Mc. Complete Teleradio Transmitter, xtal controlled, 6V6 and 867 Pair 6V6s modulators, meter switching, operates off 12

£.25 volts DC £17/10/-TA12D Transmitter, complete with Valves 0-500 Microamp. Meters, disposals equipment 99/6 New Meters-0-1 Ma. full scale, square type 27/6 New Meters-0-5 Ma. full scale, square type 27/6 New Meters-0-40, 0-120 Ma., separate connection, 22/6 New Meters-0-150 Ma. full scale, square type ... 15/- each 813 Ceramic Sockets Six volt Baynot Type Dial Lamps 1/- each 2/6 each EF50 Sockets. Ceramic Locktal Sockets 1/6 each Chassis Feed Through Insulators Eddystone 54 pF. silver plated wide-spaced Cond. 15/-Solor 28 pF, silver plated wide-spaced Condenser 12/6 Solor 50 pF, silver plated close-sp., acrewdriver adjust. 5/-

Two Condensers approx. 50 pF. S.D.A., mounted on flat ceramic block 4/- each Kingsley FM Adaptor, 455 Ke, Transformer, Complete with valves American Cathode Ray Indicators, magnetic def. Com-plete with 5FP7 valve, new in carton, £2/10/- each

20 ft. lengths of 1-inch Co-ax. Cable Co-ax. Connectors, male and females, small Pi type.

Radio Compass Indicators, Bendix type 1-82A, 0-360 three-inch dial, complete with Selson Motor. Operates off 12 volts AC, makes ideal beam indicator unit. Motor easily detachable for mounting on beam. These units are new in cartons (allow 5/- for postage per pair). 15/each or 30/- pair.

TR1143 English equivalent of American SCR522. set complete with valves £12/10/-Cathode Ray Type A1 Indicator Units with 5BP1 Valve. but less other valves

£5/10/- each Cathode Ray Indicator (Custom Built), 5BPI Valve, separate Power Supply. As traded Steame's 5 watt Amplifier. Operates off 6 volt d.c. or 230 volt a.c. Line up two stages of 6J7 pre-amps into 6V6

multitap output transformer. Less speaker and mike. £15 Palec Valve Tester, ET3. Complete with Book, £27/10/-

1,000 Kc. Crystal mounted in case with 10 pin valve socket and 4 pin Continental power plug 3.5 Mc., 5 Mc., and 10 Mc. Marker Crystals, ground to any frequency. Complete with holder, £2, Following is a list of Crystal Frequencies available for

	immediate delive		
2258 Kc.	7000 Kc.	7044 Kc	8025 Kc.
2282 Kc.	7004 Kc.	7047 Kc.	8035 Kc.
3500 Kc.	7006.2 Kc.	7050 Kc.	8090 Kc.
	7008.5 Kc.		
3509.1 Kc.	7012 Kc.	7058 Ke.	8150 Kc.
3511.2 Kc.	7015 Kc.	7058.5 Kc.	8155,71 Kc.
3573 Kc.	7616 Kc.	7062 Kc.	8161.538 Kc.
3695 Kc.	7020 Kc.	7963 Kc.	8171.25 Kc.
5460 Kc.	7021.5 Kc.	7110 Kc.	8177 Kc.
	7032 Kc.		8182.5 Kc.
6000 Kc.	7033 Kc.	7175 Kc.	8183.5 Kc.
6235 Kc.	7039 Kc.	7280 Kc.	8318 18 Ke

8021.5 Kc

7941 Kc.

WANTED TO BUY—RADIO PARTS, VALVES, TRANSFORMERS, RECEIVERS, TRANSMITTERS, ETC.

JULY -___ 1952 AMATEUR RADIO Vol. 20. No. 7.

EDITOR: T. D. HOGAN, VK3HX, Telephone: UM 1732.

MANAGING EDITOR:

J. G. MARSLAND, VK3NY.

TECHNICAL EDITOR: J. C. DUNCAN, VK3VZ.

TECHNICAL STAFF: L. B. FISHER, VK3AFF. COMPILATION:

R. W. HIGGINBOTHAM, VK3RN. CIRCULATION:

I. K. SEWELL, VK3IK.

ADVERTISING REPRESENTATIVE: W. J. LEWIS,

20 Queen St., Melbourne, C.1. Telephone: MU 5154.

PRINTERS:

"RICHMOND CHRONICLE." Shakespeare St., Richmond, E.1. Telephone: JB 2419.

MSS, and Magazine Correspondence should be forwarded to the Editor, "Amateur Radio," Law Court Chambers, 191 Queen St., Melbourne, C.1, on or before the 8th of each month.

Subscription rate in Australia is 9/- per annum, in advance (post paid) and A10/6 in all other

countries. Wireless Institute of Australia (Victorian Division) Rooms' Telephone is FJ 6997.

WI BROADCASTS

All Amateurs are urged to keep these frequencies clear during, and for a period of 15 minutes after, the official Breadcasts.

VK2WI: Sundays, 1100 hours EST, 7145 Kc. and 2000 hours EST 50 and 144 Mc. No frequency checks available from VK2WI. Intrastate working frequency, 7135 Kc.

VK8WI: Sundays, 1139 hours EST, atmultane-ously on 3578 and 7146 Kc, and re-broad-cast on 50 and 144 Mc. Intrastate working frequency 7135 Kc. Individual frequency checks of Amateur Stationa given when VK3WI is on the air.

VKiWI: Sundays, 3800 hours EST, simultane-ously on 7146 and 14342 Ke. 7085 Ke. channel is used from 0000 to 1030 hours each Sunday for the W.I.A. country hook-up. No frequency checks available.

VK5WI: Sundays, 1000 hours SAST, on Ti Kc. Frequency checks are given I VK5DW by arrangements only on the and I Mc. bands. VKSWI; Sundays, 0830 hours WAST, on 7146

Kc. No frequency checks a VK?WI: Sundays, at 1000 hours EST, on 7146 Kc. and 146.5 Mc. No frequency checks are available. Published by the Wireless Institute of Australia. Law Court Chambers, 191 Queen Street, Melbourne, C.1

EDITORIAL

TOO YOUNG AT SIXTEEN?

Ever since the re-allocation of Amateur Station Licenses in the post war era the Institute has been asked "Why cannot a person be licensed to operate an Amateur Station at the age of sixteen years?

This is a serious subject and one that has two "schools" of thought-the old and the new. By the old is meant people of so called "mature age and judgment," and the new, people mature in age but whose tenure could be said to be considerably less than their more aged brothers insofar as experience in the affairs of the world is concerned.

In deliberating on a decision of this nature one must have due regard to these two groups of people, because in a progressive and scientific world such as the past two generations have been born into, it is imperative that the newer group has a say, that the newer group has a say, tempered if necessary by the more experienced voice of the older group. Everywhere in the world today

young people still at school take a een interest and active parts in the affairs of all kinds of clubs and institutions, and they are encouraged to do so; they have advanced by some years their activities, compared to their forbears at the same age.

And why? Because educational

and living standards have changed with the passing years. With the advent of the electronic and electromechanical age, school curriculums cover a wider sphere of learning there are more basic principles to learn, the older ones must sometimes be modified to fit men for modern learning—all in all, the modern scholar must be more knowledgable -and is in fact more so-than the scholar of two decades ago. One has scholar of two decades ago. One has only to heed the off' spoken words, "I don't know what he is talking about, I never learned that at school in my day"—or even just listen to the modern scholars talking among

By and large, the older group-composing the parents of today-

countenance all sorts of activities by their offspring—club activities, photo-graphy, chemistry, dancing, in fact anything that assists their educational advancement and at the same time serves as a relaxation from their normal school study periods. And yet, without any authenticity,

you will hear the older group-and to be fair, the newer group, too, sometimes—say that scholars in their early teens should not take up radio as a hobby, particularly to become an Amateur Operator, because such an activity interferes with their studies "To grant an Amateur License at the age of sixteen," they say, "is too young because studies continue even after completing the normal school terms up to intermediate and leaving standards."

This thinking is utterly wrong and baseless in fact! The study of radio takes in basic

theory of electricity and magnetism and mathematics almost entirely in one form or another, and, having gained a license, a scholar operating a station on the air gains stupendous insight into the subjects in an adof geographical learning thrown in good measure.

The solution of the problem is simple enough. If a scholar has the knowledge and temerity to pass an A.O.C.P. examination at the age of sixteen he should be granted a license. The key to the problem of inter-ference to studies is one of parental control-nothing else-and should be subjugated to the right perspective Parents should not permit their son or daughter to "play" radio at the expense of studies any more than they are prepared to permit them to attend clubs, go dancing, or "play" at any other hobby. But relaxation one night per week at least, is the forerunner of a sound, logical, healthy and contented mind.

Grant an Amateur License at the age of sixteen! Why not? PEDERAL EXECUTIVE.

THE CONTENTS . . .

Some Pointers on Good Quality Phone Simple Conversion of AR301 to 144 Mc.

Television Made Easy—Part ix. Outline of Color Television Amateur Call Signs Was It You?

Fifty Megacycles and Above DX Notes by VK4QL "Operation Bushfire" Operating Awards and Diplomas 10 VK5WI Stand at Exhibition 10

8

Federal, QSL, and Divisional Notes Prediction Chart for July

★ BARGAINS ★ Homecran FOR THE RADIO ENTHUSIAST!

+ CONVERT YOUR EXISTING 78 R.P.M. RECORD PLAYER TO "MICROGROOVE" with the "CHANCERY"

PICK-UP AND TURNTABLE ATTACHMENT



- · Easy to install. inter-
- Pick-up has in changeable Heads.
- Cantilever type Sapphire Stylus. Excellent Frequency
 - Response. · Even Speed Reduction.

Price as illustrated £12/5/-

Standard or Microgroove Heads, £3/17/6 each.

Will fit any type turntable. Pick-up suits any Radio Receiver.



"RECORDEX" RECORD BACKS

new improved Gramo Record, holds 25 10-in, or 12-in, ds. Complete with index card nummed identification numbers i records. Price, as illustrated, Model to hold 50 records, 33/-DON'T MISS THIS BARGAIN



TEST MULTIMETER
1,500 ohms per volt. Tirree voltage
ranges AC/DC, two militamp, ranges
and resistance up to 200,000 ohms.
Self contained battery. Complete with test prods., price only £8/15/-

AND INTERSTATE CLIENTS PLEASE ADD FREIGHT

Batte



Available from stock, Com-plete with Matching Transformer:-

Model 3C 3" Per. Mag., 40/8. Model 5C 5" Per. Mag., 40/8. Model 6H 6" Per. Mag., 55/9. Model 8K 8" Per. Mag., 54/4. Model 12K 12" Per. Mag., 81/5. Model 12O 12" Per. Mag., 81/5. £6/9/1.

a limited number 120X's available, £8/19/2. Model 12C 12" Auditorium, £10/9/-, less transformer.



PN351 Suppressor Condensers only 12/5 each.



Coltaro 3-Speed Standard

and Microgroove Record Changer Plays ten 7", 10" or 12" records automatically. Com-

plete with high fidelity crystal pick-up with two heads only £22/15/-



CABINE 1... Cabinet finished in Small size





AERIAL WIRE BARGAIN Electron type Insulated Steel and Copper Stranded Aerial Wire. 50 ft 5/7 reel; 100 ft. 11/2 reel.



"PALLIARD" RECORD CHANGERS A masterpiece in record changers featuring vari-

able speed, crystal pick-Priced at £13/19/6.



THE HOME CONSTRUCTOR Steel Black Crackle Finish Amplifie Cabinets and Chassis combined, Smal ize for up to 15 watt Amplifier arge size for 30 watt and one



English Army Telephones, gen-erator type with bell. No batter-les required. Five mile range. As illustrated. Complete, only

Central 4311

LONSDALE STREET, MELBOURNE

Some Pointers on Good Quality Phone BY R. DOWLING.* VK3XD

Herewith are a few hints for phone transmission if you want a pat on the back for good quality signals

All power supplies to be well filtered. plenty of buffing with amplifiers, Class C or Class B, doublers; no regeneration of any stage in itself or to other stages: decouple the stages in your power supplies by good chokes and condensers.

The buffing with amplifiers prevents frequency modulation of the carrier, and/or carrier shift. (These between oscillator and final stage.) In other words the carrier beat note should never change, as observed on a receiver with the b.f.o. in operation.

The Class C buffers should be per-fectly neutralised (not doublers). The modulated amplifier should be capable of perfect neutralisation. Feed-back in the final amplifier will be reflected in non-linear modulation (almost like single side-band). This will cause audio amplitude distortion of the signal. The Class C final, if modulated, should be biased to about 2.2 times

cut-off and should have about 25% more grid excitation than for c.w. operation. Lack of drive (also some in reserve) will also cause non-linear modulation. (One side of carrier modulated more than other, or modulated non-symet-

The tubes used in the final Class C modulated amplifier must have a reserve of filament emission, sufficient to allow the peak plate current to double during 100% modulation. This, if not done, will also cause non-linear modulation. (Don't over-couple your an-tenna with low plate voitage to get more output, or don't worship the amplifier's milliamperes, if you do, you will kill the tubes.)

The modulators, if Class B, should be assisted by a swinging choke in the power supply filter. This means that with variation of plate current on the tubes, between standing current and maximum audio drive, the more the plate current. The filter should work to cope with varying loads for good voltage regulation which means that a swinging choke is a component which varies in its inductance according to the varying currents passing through the windings, viz., the choke on light cur-rent loads, no modulation (choke input filter), and when the load is heavy (modulating, more plate current rise) (condenser input). This choke then This choke then needs an assistant, a 30 hy, choke, and large capacity filter, 8 uF. or more on the output of the supply to bring about good decoupling and preserving audio response.

Good shielding or isolation of the r.f. portion from speech equipment. No r.f. to get into speech equipment whatso-ever. If it does, it cancels out the audio causing overloading, blocking, whistling or singing, and instability of

Completely shielding the speech amplifler is preferable to shielding the r.f. section of the transmitter. This is hard to believe, but personal experience has * 6 May Street, North Fitzroy, N.7, Vic. shown to me that unwanted coupling and r.f. to audio equipment increase directly with the frequency used. When operating on 20 metres, the transmitter, for a given degree of operation with good isolation resulting in good signals or trouble-free ones, will be almost useless on 10 metres due to feedback troubles

Suggest getting the rig going on 10 metres first for 10, 20 and 40 metre operation if good signals are wanted on 10 metres. The feedback from a 20 metre transmitter for a given degree of isolation (mediocre) is eight to 10 times as evident as in a similar transmitter operating on 120 metres, and eight times as much shielding and trouble-precautions are necessary to isolate audio from r.f. troubles.

[A separate power supply for the speech amplifier and decoupling through a 600 ohm line to the drivers for the modulators pays dividends in this re-spect.—Tech. Ed.1

R.F. goes everywhere, regardless of paths of low or high resistance, not necessarily the shortest path to audio circuits. R.F. in low level audio circuits causes all kinds of troubles.

As you know, the actual process of modulation is the mixing (super-imposing) of audio and radio frequency (carrier) or superimposing audio (a.c. on d.c. (r.f. carrier); a complex business. In your case, this all occurs in the plate circuit of the Class C r.f. stage. The term "plate modulation" is not strictly accurate, but power modulation is more

descriptive of what goes on Now this final stage. It is possible that your carrier, with no modulators connected, could be putting out a distorted wave form due to wrong Q of the final tank circuit. To correct this you must have the stage operating to give you more output with coinciding minimum plate current, and until you get this condition in the final, you cannot load properly with the antenna to maintain that large reserve (flywheel effect) necessary to produce a signal with effective modulation, whereby the tube filament emission has sufficient reserve to permit the plate current to double during 100% modulation. If this is wrong, we then come back to nonlinear modulation, splatter, distortion. "So do ve ken?"

Simple Conversion of AR301 to 144 Mc. BY D. C. HABERECHT, + VK2RS

Before detailing the necessary minor. alterations, a few words regarding the original receiver will not go astray.

The AR301 formed part of airborns equipment, A.S.V. type, operating on frequencies between 170 to 178 Mc. The design includes four i.f. stages at 30 Mc., using 6AC7 valves, the r.f. end comprising of two 954s as r.f. amplifiers, and two 955s as mixer and oscillator. receivers can be obtained

through disposals stores at a reasonable cost and lend themselves particularly well to conversion to 144 Mc. The whole conversion should not take much more than an hour to complete.

ALTERATIONS TO WIRING

Firstly remove the original power supply wiring and if you so desire, remove the power transformer and choke, thus leaving ample space for a self-contained power supply. check over filament and h.t. wiring for breakages or corrosion, etc.

From the junction of resistors marked R16, R21, etc., located on the terminal strips connecting the 6AC7 i.f. stages. wire in a 5,000 ohm wire wound notentiometer. This control conveniently serves as an if. gain control, as this receiver is not equipped with a.v.c. This will prove useful in controlling some the stronger signals.

The only other stage requiring altera-tion is the last 6AC7 stage following the 6H6 detector stage. This 6AC7 was originally wired as a cathode follower and can be quite simply converted to an audio voltage amplifier. To do this, simply remove the cathode resistors and replace with a 5,000 ohm resistor, by-passed with a 25 uF, condenser. Then from the plate of this valve, remove

† Room 17, Central Chamber, Kiewa Street, Albury.

the 500 ohm resistor and replace with a quarter meg. resistor; next connect to this plate a 0.1 uF. condenser to a half meg. volume control, taking care to shield the leads to this control. The return lead from the control is then brought back to the grid of the spare socket immediately adjoining the last 6AC7 stage. This socket is then wired in the conventional manner as an audio power amplifier using any available output valve.

The only other alteration necessary is to remove the co-axial lead from the switching motor and plug it into one of the spare co-axial plugs on the front

FREQUENCY COVERAGE

If you are lucky enough to have access to a grid dip meter, little diffi-culty should be experienced in re-setting the stages to cover the 2 metre band Should a grid dip meter not be available, a simple absorption meter will do the job equally as well, but will be more painstaking.

In order to get the oscillator stage tracking over the range from 114 Mc to 118 Mc., a small air trimmer is wired directly across the oscillator coil. Then adjust this stage in steps, keeping the aerial and r.f. circuits peaked, until a noticeable drop in noise level occurs when you inductively couple the wavemeter to the second r.f. stage or mixer, making sure to use as little coupling as possible in giving you sufficient

indication. A final check on alignment can be obtained either from a signal or from car ignition noise.

This receiver, with these alterations, should prove a very successful and worthwhile inclusion in any v.h.f. man's shack, and most certainly offers a good and inexpensive means of covering the 2 metre band.

TELEVISION MADE EASY

Part ix.—Outline of Color Television
BY KEN WALL† AND JOHN JARMAN,* VK3ADA

50 we have learnt how a television set work—
—ond why it sometimes does not, but what is
this color television we hear so much about
likely in the past two years, that his series
would be incomplete without mention of it
Let it be understond from the outset, however
that no color system has yet been perfected
experimental singes, and in this acculution
stride we will discuss the main trends of overteese experiments.

How often have we wondered how colors could possibly be transmitted by radio." Well, yet a support of the property of the prop

any further.

Now white, for example, is composed of it whole three yellow is a combination of re whole three yellow is a combination of re whole three. By means of color filters, the whole three, By means of color filters, the primaries can be separated. For instance, a re "blocks" all other colors, and if placed over the lens of a conners, will allow the latter to photo the primary, red. Likewise, blue, and give primary, red. Likewise, blue, and give filter "pans" only blue and green light, respectively, and when a scene is to be leterized.

by a red filter, transmitted as one group, an after reception, tinted red. Likewise, all the blue components are extracted from the same scene, by a blue filter, transmitted as one separate group, and tinted blue after reception. The green components are treated in the same way.

incomplete pictures, each of a uniform cole By combining them, we reproduce the original power of the produce the criginal cried to the color television is 'the transmission of three separate sets of data (which, for convenience, we will call 'images' intested of one, and the problem confrontient intested of one, and the problem confrontient intested one, and the problem confrontient from the color of the color of the color of the the bandwidth, or serificing picture quality Remember, for, that color is not applied use after reception. Each image is transmitted in black and white, or "monorhrome" as it is that the color of the color of the color of the thinks, or "monorhrome" as it is the color of the color of the color of the thinks, or "monorhrome" as it is the color of the color of the thinks, or "monorhrome" as it is the color of the color of the thinks and the color of the thinks are the color of the thinks are the thinks are the color of the thinks are the thi



Fig. 1.—Transmitting Set-up.

will first consider a purely imaginary set-up Fig. 1 shows three television cameras, each focused on the same object, which is a recfocused on the same object, which is a recarrer R is fitted with a red filter, so it receives only red light. Similarly, cameras G and B are fitted with green and blue filters, and the filters, and the set of the set of the set of tively. The images formed in the three cameras will therefore be as shown in Fig. 2.



New suppose each camera he connected to COUT picture will therefore he transmitted as three separate signals—E. and h. three separate signals—E. and h. three separate signals—E. and h. three separates of the separate signals—E. and h. three separates of the separate signals—E. and the separate separate signals—E. and the separate sepa



available whose face glows with such be brilliance that if sitted with an optical is brilliance that if stated with an optical is to state the same state of the state of the same state of the same state of each linear is projected (through a colo each linear is projected with the same each state of the same state of the same images will now combine, to reproduce original pictures in full color. The same state of the same state of the same yeard object was yullow all over. The image



In place of the colored glasses, we can tubes with colored phosphor coalings, thus p ducing the required colored light beams. No perfect color reproduction (or "co fidelity"):

1. Color applied to each received image my be identical with that "accepted" by the color in the color of the color in the color of the color applied to each received image my be identical with that "accepted" by the color of the c

be identical with that "accepted" by the or responding filter on the camera.

2. The brilliance, for a given signal streng must be the same in each receiver tube, other wise colors will not be correctly balanced.

3. The three images projected on the acree must coincide perfectly with each other. This is called correct "registration" of color.



registration, where our yellow object appea as two; one in red, the other in green. In the preceding illustration, each image was tran mitted continuously. In other words, the who three were transmitted simultaneously, so this is called a "simultaneously system, requirithis is called a "simultaneousl" system, requirithis is called a "simultaneousl" system, requiritional. Such systems (with modification) has been tried, but rejected.



amount width, is to treatment the Images Alternative Country of the Country of th



Now hold of Fig. 7. In front of the receive meeter whold, in one stage or cit is color meeter whold, and growthronized with same, as the stage of the color of the color of the stage of the color of the color of the that all the tred components, having here that all the tred components, having here that all the tred components, having here that all the tred components, which are the received politics. Likewise, the growrespective colors and the three colored images represented by the color of the color of the stage of the color of the color of the Seady, reproducing the original picture in the color of the color of the color of the Seady, reproducing the original picture in Seady, reproducing the original picture in

of winow, in being further acaditotic, but we cheeker (IF.4) Orectived in two images, where the control of the

Me see Curretore, that in sequential contens, and promove, indeed on being transmit to the content of the content of the convenience, we may creditly say that our two variance, we may creditly say that our two sequential events upon the described. It changes see that the content of the in-which is changes after every line.

The content of the did. As the secondary beam twent extent and the content of the

It has, however, some grave disadvantag hay line of a pure primary color is seam mly once in six fields, and in a 60 fields's ystem (as used in American experiments), specars only ten times per second, caust inter line flicker," and apparent vertic novement of the horizontal lines, called "II rawl." element." which is defined as the shortest dislance along a scanning line, in which the shade am change from white to black. Each line of selevision picture is therefore composed of a particles in photographic film, and the dols, which constitute a printed photo lin a newspaper, etc.). For convenience, we will call these lements "dols."

Now examine a newspaper photo carefully and note that at normal viewing distance, the junction of the property of the property

R Filter Switch Francisco

slead of consecting cock one to a separate to the control of the c



In piece of the three tubes, however, we cause the special fye-loof table. Illustrated ?
Fig. 9. This tube has three electron guns, and acreen with special phosphor coating, while an glow in either red, green, or blue, depending upon the angle, from which the electron gupon the angle, from which the electron work is beam sirther the screen, it will preduce a spot of blue flourescence. Likewise turns Q and R are placed so that that beam with always produce spots of green and red will always produce spots of green and red.

The time beams can the acree concurrent.

It is a same point of the control of the same point of the s

will know that a color picture is printed our stages, viz.: three primary colors and earth in black and grey. This fourth "impre ion" serves two purposes. Firstly, it brin ut the fine picture detail more clearly, as econdly, it covers up minor faults in colegistration (Fig. 8).



of mark in address this by many's representation of the control of

For consistence, 20 me, bestelle the survey of the consistence of the

production. secontial system, on the other hand, uses only one scanned surface in hot camers and receiver, now does It rely upon scanners and receiver, now does It rely upon the second second

sequential system, back in 1890, in preference to the other methods, where the second of the control of the con

The line sequential system suffers inheren interesting errors, interine fisher, and reduced appartments of the problems imposed by color control of the problems imposed by color control of the problems of t

Princip, for educational purposes, Libermus, sessibility experiments, or demonstrations be absoluted by the control of the con

any control of the state of the

During a crickel match, for instance, coloud allow the audience, during bills between could allow the audience, during bills between the colour and the colo

to soldy.

In October, 1851, America suspended all we color television, to conserve materials selence needs. Meanwhile, it is quite probabat electronic research in other fields revide the clues to perfect a color system superior to those described here.

Although attention has been concentrated to the concentration of the

upon sequential systems, there is still hope is admillateous systems, which would overcome admillateous systems, which would overcome systems are not supported by the systems of the excessive brandwire systems, and the systems of the excessive brandwire still being sought. For instance, some scientication that in the wide band covered by a videous still being sought. For instance, some scientication that is the wide band covered by a videous still being sought. For instance, some scientification that is the wide band covered by a videous still being sought. Some still being sought to the still be supported by the still being sought to the still be supported by the supported by the still be supported by the supported by the still be supported by the suppor

we here you have found these articles in what feetings cross to variously the was attention to the same attent

- . IT'S HERE
 - . IT'S TIMELY
 - IT'S MODERN AND MINIATURE
 - IT'S A.W.V. FIRST AND FOREMOST

• IT'S THE RADIOTRON



DOUBLE DIODE HIGH SLOPE OUTPUT PENTODE

Check these important features:

- 10,000 micromhos Gm for Maximum Gain.
- Self-contained Diodes for Simpler Reflexing.
- With 180 volt 24 mA. Power Supply—delivers 2 watts for a 2.6 volt signal.
- Opens up new avenues for low cost receivers—
 3 valve Superhet used with 6BE6 and 6X4.
 - Engineered by A.W.V. for Australian conditions.



RADIOTRON VALVES



FURTHER INFORMATION ON 6BV7 AND OTHER RADIOTRON MINIATURES IS AVAILABLE ON REQUEST

HAVE YOU ORDERED YOUR 4th EDITION OF THE RADIOTRON DESIGNER'S HANDBOOK?

AMALGAMATED WIRELESS VALVE CO. PTY. LTD.

47 YORK STREET, SYDNEY

AMATEUR CALL SIGNS

FOR MONTH OF FEBRUARY, 1952

ADDITIONS New South Wales

VK.— New bould Wales

2HE-Dr. H. A. F. Rofe, 16 Stanhope Road,

Killara, Sydney.

2ADB-A. A. Cheetham, 9/36 Manion Ave.,

Rose Bay, Sydney.

2AJO-J. S. W. Edge, Wallace St., Coolannon.

2AJX-H. R. Barrington, 243 Annae Pde., Einga

2-BJX-H. R. Darrington, 202 Arizer reco, many 2ANZ-H. Shortell, 22 Lower Wycombe Rd., 2ANY-A. H. Gray, Station: 35 Bluss Point Rd., McMahous Point, Sydney; Postal: 35 McMahous Point, Sydney; Postal: 35 McMelle St., McMahous Point, 2APX-R. Piraner, 47 Jublice St., Dubbo. 2AVB-R. W. Pratt, 73 Bassett St. Hursville.

PK--1 B. Noale, 91 Francis St., Balmudale, B. W. Conntervell, E.E. 11 St. Auditor St. Conntervell, E.E. 11 St. Auditor St. 11 St. Auditor Monthly via Alberton, Monthly St. Auditor, St.

Queenstand 4XH-H. A. Perkins, c/o. A.W.A. Aviation Ser-vice, Station 4TO, Townsville, 4JK-J. H. Cruice, Kilcay Rd., Woodford.

SOB-W/O Baker, L. O. C., R.A.F. Station, Mallala. SRS-R. S. Kajar, 14 Lily St., Blair Athol. SSC-X. K. Brondbridge, 161 Coglin St., Brompton Park. Territories

18D-R. J. Hosenson, Heard Island.

ALTERATIONS New South Wales 2DW—Lot 187, Dargan Street, Bass Hill. 20X—5 Macleay Street, North Ryde. 21X—235 Ocean View Road, Ettalong. 207—33 Hebburn Street, Newcastle. 288—Room 17, Central Chambers, Kiewa St., Albury. 273-8.8. "Iron Kimberley," c/o. B.H.P. Ltd., 2ABT—Electrical Engineer, Ulan County Coun2AFD—Ocean Avenue, Woonona. 2AFQ—Vessel "Syungie," c/o. Box 3787, G.P.O., Sydney.

2AIL-II Wesgarth Street, Turner, A.C.T.

2ASM-10 Monach Parade, Dec Why.

3CY—11 Bestrice Street. Burwood.
1CZ—11 Bestrice Street. Burwood.
1CZ—105 School Verror.
1C

4CI--58 Musgrave Road, Red Hill, Brisbane. 4DE-Married Quarters, "Camp Magnetic," RAAF., Townsville. 4ES-9 Paxton St., Helland Park, S.E.1.

SMA-Cr. Barwon and Eighth Siz., Renmark 5PL-3 Dew Street, Kent Town, Adelaide. 5QL-Oleanda Street, Brighton. SRD-415 Scaview Road, Henley Besch. 5VV-Liccoin Piace, Port Lincoln.

Western Australia ELK-35 Schmitt Road, Kalamunda sWT-8 The Grove, Wembley.

IRF-Heard Island.

BELLVIONS N.S.W.: VKs 2FR (now operating under 2SV), 2PP, 28D (now operating under 1SD), 3WO (now operating under 2KV), 2AGN (now operating under 2KV), 2AJX, 2AKC. Vie.: VKs 3AM, 3DY, 3OR, 3PN (now oper-ating under 1PN).

QIA.: VK4ZU. 8.A.: VKs 5LZ (now operating under 3FK), TS (now operating under 3TV). W.A.: VXSPX.

WAS IT YOU? An Open Letter to a Ham Dear OM

Yesterday afternoon I heard you on

—Mc. I know it was you for I've
known you for years and I recognised the voice. You put your carrier on and off several times during twenty minutes, you counted, you said "hullo test," you whistled, you muttered something to

someone else in the shack, but not once did you give your call sign. Even assumdid you give your call sign. Even assum-ing that in that you were not commit-ting a breach, what have you against your call sign? Don't you like the sound of it unless from a DX station? Doesn't it make a good "test" pattern on your

C.T.O.? Do as much of your testing as you can on a dummy, OM, and when you must test on the air, give your call. You may not have meant it that way, but what you did yesterday afternoon sounded like deliberate flouting or the "regs." coupled with a deliberate statempt to fool the monitoring station. Den't do it, OMI Whether you mean it that way or not, it's a pretty poor show. There's no room on the Ham bands for the anonymous signal. -73 VK6WZ

RA-34-F POWER SUPPLY

This unit is intended to supply all This unit is intended to supply all necessary voltages for operation of Radio Transmitter BC-191. It operates from any power line 105-126 or 210-250 volts A.C. The unit supplies 12 volts A.C. at 14.25 amps. with provision internally to increase voltage to 13 or 14 volts A.C. to com-pensate for voltage drop on long fila-ment lines. A filament tap switch and meter are provided to maintain correct voltage independent of line voltage variations.

The supply gives 12 voits D.C. at 2.4 amps. for microphone or relay supply. A relay built in controls the application of the plate supply H.T. voltage. Several taps on the filament auto transformer are provided to compensate for ageing of the selenium rectifier in the 12 volt D.C. supply.

High tension voltage of 1,000 volts D.C. on load at 350 Ma. is available for transmitter supply. Coarse and fine controls are brought out to the front panel giving a range of H.T. voltage adjustment from 20 to 1,100 volts in approx. 20 volt steps. A plate voltage meter facilitates setting of the step switches to any voltage within this range.

All the above supplies are protected by individual breakers in the primary circuits. In addition, they are interconnected and protected by a time delay relay and low temperature thermostat to prevent application of the plate voltage before the rectifier filaments have reached operating temperature and the mercury vapourised. If the ambient temperature is below 65°F, heating coils operature by a thermostat raise the temperature of the rectifier tubes to 65°, during which time no plate voltage can be applied even though the "start" button is depressed. A third thermostat

controls the operation of a forced air ventilating fan. We only have one of these magnificent units available, absolutely new, and complete with instruction book, cables, and spare set of 866 rectifiers. PRICE £75 f.o.r. Melb'ne.

WILLIAM WILLIS & CO. PTY, LTD. 428 Bourke Street, Melbourne, C.1 Phone: MU 2426

SPECIAL! SPECIAL! SPECIAL!

2 Pole by 6 Position Single Bank 1 Pole by 12 Position Single Bank

ROTARY WAFER SWITCHES 11" overall diameter of Wafer. Standard 1" Spindle.

PRICE (inc. tax) 4/-

IDEAL FOR METER AND COIL SWITCHING, TONE COMPENSATION CIRCUITS, MULTI-CIRCUIT SELECTION, ETC.

WILLIAM WILLIS & CO. PTY. LTD. 428 BOURKE STREET, MELBOURNE, C.I. \$.......

Phone: MU 2426

Please include Postage and Exchange with Orders.

Amateur Radio, July, 1952

FIFTY MEGACYCLES AND ABOVE

Compiled by J. K. RIDGWAY, VK3CR.

NEW SOUTH WALES Activity generally on the v.h.f. bands has been mainly confined to the 144 Mc. band. A direction finding field day was held and won by 2AAA under the guldance and control of 20K.

2AAA under the guidance and control of 20K.
The annual election of efficers took place
with the following results: 2ANF, Chairman of
Group and Country Lisiason Officer: 2AOA. Viceratter: 2AAZ, Secretary; 2HL, Field Day Organsier; 2OA, Contest Organiser; 2MQ, Publicity
Officer; HIL, 2OA and 2MQ, also constitute
the Management Committee; 2WJ, 350 Me.

the Management Committee; \$WV, 500 Mc. Coordinator, \$ANY, has just spent four Coordinator, \$ANY, has just spent four weeks in Forbes during which period he fa-culated all little more enthusiasm for he v.h.fr. among the country Mans. During his trip he succeeded all times of the control of the among the country Mans. During his trip he among the country Mans. During his trip he among the country Mans. During his trip among the country Mans. During his ANX. APP and 2II, size met 2007, AAMS and AAXII. It was made quite crident that the AAXII. It was made quite crident that the AAXII. It was made quite crident that the AAXII. All the country control of the AAXII. All the country control of the AAXII. All the country country of the country of the country of the AAXII. All the country of the country of the country of the country of the AAXII. All the country of the country of the country of the country of the AAXII. All the country of the country of the country of the AAXII. All the country of the cou

58 Me.: Activity somewhat lower than usual ith 2ADT, 2RU, 2VW, 2NP and 2HE among it consistent. good signal into Sydney.

580 Me.: 2HL, 2VW, 2AJZ, 2DF, 2ABZ and
2Mg, 2Mg, 2VW, 2AJZ, 2DF, 2ABZ and
2Mg a new many-stacked co-axial array.

ng a new many-stacked co-axial array.

At the last V.h.f. Group meeting it was procored to conduct a Statewide Field Day Ween

et Eight Routs' Day, October in co-operation

tight thous' Day, October in co-operation

in the Gladesville Ractic Club with all Sys
nation would be seen to the conduction of the

major mountain tops. In this respect, a group

seaded by 281L with 2NP and Cec Cronian in

the party went to Barrington Tops, many miles

north of Sydney and succeeded in making contacts with Sydney under the most trying

VICTORIAN V.H.F. GROUP NOTES

THEOREM V.B.F. GROUP NOTES

Results of the Pried Days Created are as

222 points for ARCH, 254 pins, 244, 270, 182

223 points for ARCH, 254 pins, 244, 270, 182

234 points for ARCH, 254 pins, 244, 270, 184

234 pins, 244 pins, 244 pins, 244, 270, 184

245 pins, 245

The attention of the Group has been dissected country Exclusion and a committee comprising and a committee comprising and a committee committee that we have considered to be a committee that met and come plant and a most exclusive that met and come plant and a most exclusive that the committee that and a most exclusive that the committee committee committee committee committee that the committee committ

of equipment for display purposes.

Ray 3EJ had an interesting conisct on 20 mx recently with Russ 3XK, and kindly passes on the following news. Russ expects to be returning to the following news. Russ expects to be returning the following the following the initial contacts from Papus with each State on 50 Mc. during the last DX season were VKE 45T, 3UI, 3WH, 5MK and ILZ. Unfortunately

no luck with VKE. The North Eastern Zone certainly led the field for Victoria, as the first two VKEs contacted were 3UI (twice) then closely followed by 3APP. We hope that Russ may see his way clear to come along one even-ing and tell us some of his VKB experiences.

WESTERN AUSTRALIA

WESTERN AUSTRALIA

50 Me.: Only ones netive are SHK, SGB,
SDW, SFC, SBO, and SRK. SGS is threatening
to come back on the band. SFC has a very nice
array on 50 and 144, but is troubled by some
noise which seems to be coming from the
power transformer at the end of the h.v. line
troom Marrogin. SHK's new 854 final neathy ready to go

result to go.

144 Mc. 246.7, GOR, GKW and SWT have been
of a Sanday resulting. I believe that they
one of a Sanday resulting. I believe that they
of the sanday resulting in a new tank
1, beard 458, GDW has put in a new tank
takking new beams for this band. A couple of
takking new beams for this band. A couple of
takking new beams for this band. A couple of
takking new beams for this band. A couple of
takking new beams for this band. A couple of
takking new beams for this band. A couple of
takking new beams for this band. A couple of
takking new beams for this band. A couple of
takking new beams for this band. A couple of
takking new beams for this band. A couple of
takking new beams for this band.

Sanday for this band.

The sanday for this band of this band.

The sanday for this band.

The sanday f

50 Mc. W.A.S.

					C	ertificat	e Ado	litional
Call					- 2	lumber	Cos	intries
VK2VW		-				.9	m-11	3
VK2W3	Merci.	-	-	Bally	TRACT.	13	here.	3
VEGULT	(84)			-			No.	
VKM.C								7
VKIDW	2000			zenti		4	heat	1
VKIPG		***					****	•
VKSRR						- 6		î
VKSHT	_				-	7		i
VK1AE2	-	****		-		10	TOU	1
VK3XA			-			11	-	1
VKlGM	iren	maketen	3-04	-	2710	32	brev	3
VICIACI				2624		14	****	1
VK3ZD VK3ABC						16		1
VKIABO				2011	2525	15	2112	
WMCWA					4962	10		

Setting a New Standard in Communication Receivers-

The "Commander" Double Superhet.

Free Data Sheets on Request

Interstate Representatives: West. Aust.—Messrs. Atkins (W.A.) Ltd., 894 Hay St., Perth. Queensland.—Messrs. A. E. Harrold, 123-5 Charlotte St., Brisbane. In other States direct your inquiries to firms handling Bright Star Crystals.



Valves, new, boxed, BCA 834s, £1/8/- each. 6C4s. 12/- each. Limited number of the following Taylor Tubes: TZ20s, £2/10/- each; TB35s, £6/10/- each. Transmitters altered for Bush Fire and Fishing Boat Work.

BRIGHT STAR RADIO

CRYSTALS, as illustrated, 40 or 80 mx., AT or BT cut. Accuracy 0.02% of your specified frequency, £2/12/6 each. Large, unmounted, 40 or 80 metre, £2 each. 20 metre Zero Drift, £5 each.

Special and Commercial Crystals-Prices on application. Crystals re-ground, £1 each.

BRIGHT STAR CRYSTALS may be obtained from the following Intersists firm: Messrs. A. E. Harrold, 12 Charlotte St. Brisbane; A. G. Healing Lid., 151 Piris St. Adelaide: Atkins (W.A.) Lid., 884 Hay St. Perth; Lawrence & Hanson Electrical Pty. Lid., 120 Collins St., Hobart; Collins Radio, 409 Londside St., Melbourne; Prices Radio, 5-6 Angel Pisce, Sydney.

1839 LOWER MALVERN ROAD, GLEN IRIS, VIC. Phone: UL 5510.

DC11 TYPE CRYSTAL HOLDERS WANTED. ANY QUANTITY.

Screw-type Neutralising Condensers (National type), suits all triode tubes, Polystyrene insulation, 19/6 ea. Prompt delivery on all Country and Interstate Orders. Satisfaction Guaranteed.

DX NOTES BY VK4OL

als nouth, my own time on the based bel-taged to the property of the property of the con-ting the property of the property of the property of the large contributions, some of them apparently g too insettive to drop a line this mouth g too insettive to drop a line this mouth the month. All sources conform that it is are very flat and not much DN has been it. The main interest to DNzrn has been it. The min interest to DNzrn has been it. The min interest to DNzrn has been it. The main interest to DNzrn has been in the property of the property of the property of the month and the property of the property of the months and the property of the property of the months are the property of the propert

voy, with stations worked, and times in GLMT.

La Nec. GXL bad a listen on the band (28 Conc.)

KNO, KHRANY being IT 'GRK still unable of the convenience of the conv

Fit./Lt. F. T. Hine, No. 10 (G.R.) Squadron, R.A.A.F., Townsville, Queensland.

DX C.C. LISTING

"OPERATION BUSHFIRE"

Throughout the district of Victoria. members of the St. John Ambulance Brigade are organising to meet the above emergency, that is an ever present danger during the summer season, Bush Fire.

It is with a view of organising some means of rapid communication during means of rapid communication during this emergency, that the Amateur Radio members have been approached. It is felt that with their co-operation all services concerned in this emergency may benefit. Transport of vital supplies may benefit. Transport of vital supplies and requests for personnel can be readily organised and much time can be saved by relaying of the urgent messages. Such assistance would have been greatly appreciated during the recent fires. It is felt that with a definite plan in operation, liaison between Amateur Radio operators and the John Ambulance Brigade will have very beneficial effect.

ACCURATE FREQUENCY TRANSMISSION RESULTS

New measuring equipment at the Checking Centre enables the frequencies to be given at the beginning and end of the one-minute key-down period. In the following lists the first correction given is the beginning of the period.

Cycl	es low;	H	=	Cycles	high
3500	Kc.	5	L.	8 1	
				60 I	
				20 1	
				22 1	
				12 1	
				24 1	
	Kc.				
				2 1	
				68 I	
		5	L.	1 1	H.
				40 T	

Low Drift Crystals

AMATEUR BANDS

ACCURACY 0.02% OF STATED FREQUENCY

3.5 Mc. and 7 Mc. Unmounted £2 0 Mounted £2 10 12.5 and 14 Mc. Fundamental

Crystals, "Low Drift," Mounted only, £5. Spot Frequency Crystals

Prices on Application. Regrinds £1 0

THESE PRICES DO NOT INCLUDE SALES TAX.

MAXWELL HOWDEN

15 CLAREMONT CRES., CANTERBURY, E.7. VICTORIA

Operating Awards and Diplomas

COMPILED BY BAY JONES, VESBJ, FEDERAL OSL MANAGER

The following list, whilst not complete, may prove of assistance to members. Australian and New Zealand Awards are not included herein.

Great Britain. B.E.R.T.A. Proof of contact with 25 of British Dominion Call Areas and 15 British Colonial Call Areas. Apply R.S.G.B. Charge 2/8 sig.

Great Britain, H.B.E. Proof of bearing above areas. Apply R.S.G.B. Charge: 2/6 sig.

Great Britain, W.B.E: Proof of contact with one Empire station in each of the Eve Continents. (North and South America counted as one: Apply W.I.A. Charge 2.78 stg.

Great Britain, Empire DX Certificate: Proof of contact with 50 Empire Countries on 14 Me A separate Certificate issued for contacts with 10 Empire Countries on 14 Me 14 Me 15 Me 16 Me 17 Me 17

Apply W.J.A. Charge Free.
U.S.A., W.A.S.: Proof of contact with one station in each of the 48 States of U.S.A. Apply A.R.R.L. Charge Free.
U.S.A. D& C.G.: Proof of contact with 100 Countries aince 15th November, 1945. Apply A.R.R.L. Charge. Free

Germany, W.A.E. :Worked All Europe¹ Details on request to this Bureau Too lengthy to publish in full Apply D.A.R.C. Charge: 18 Reply Coupons

Spain, Espans Diploma: 125 contacts with EA stations including three with each of the nine districts. Since 1/1/53. Apply U.R.E., Madrid. Cherge: Free

Italy, W.A.LF. (Worked Al. Italian Provinces): Conjuct with 80 of the 93 Italian Provinces. Last held at this Bureau Since 1749. Apply R.C.A., Ravenus. Charge. Free. Cubs Werked Cubs Award Contact with 7 of the 8 radio districts of Cubs. List held here. Apply W.I.A. Charge: Free

Apply W.I.A. Charge: Free

Brazi W.A.A. (Worked All Americal. Contact with 45 countries in the Americas. List held here. Apply L.A.B.R.E., Rio de Janeiro.
Charge Return Postage.

Dunmark. OZ-CC-A- OZ Cross Country Award: Contact with 15 of the 35 radio districts in Denmark on points basis. Details bald here. Apply E.D.R. Aslborg. Charge: Five International Coupons.

neternational Componits
France, DL/F. Four sections. Conducts with
stations of Strench Union. (1) 2 Conta. 3 Counttic. (2) 4 Conta. 3 Count-tier. (3) 2 Conta.
to include Europe as one of Continents. Sections may be obtained progressively. Life
Free except 4th section which is a medial; see
700 France.

France D.P.F. Comincts since 1/1/8) with 18 of the 17 Provinces of France. List held here App.y. R.E.F. Charge. Return Postage.

Chile. W.A.C.E.: Contact with each of the seven radio districts of Chile. Apply R.C.C., Santhago. Charge. Free.

Sweden No Title Post-war contact with each of the seven rudio districts of Sweden Apply S.A., Slockholm Charge Ten Reply Coupons British East Africa, W.S.A. Contact with Duc VOS, one VOS, and three VOS stolens in

SUBSCRIPTIONS

• Please pay your Subscriptions
PROMPTLY when due. Fallure to
do so may result in the loss of
valuable issues of "Amasteur
Radio" High costs of production
make it necessary to limit the
number of extra copies printed
each month.

any year 'is' Jan. to Jist Dec.1, gives entitlement to an Annual Certificate. Five of these Annual Certificates plus one 'VQI contact trakes the final award 'W.E.A.' Claimed to be something special in awards. Apply R.S.E.A. Nairoti. Charge: 5/- each Annual Certificate, and 5/- fee for W.E.A.

Canal Zone, No Title: Contact with ten different KZ stations. Bigger and better Certificate for contact with 32 different KZ stations. Apply CZARA. Charge. Free. USA, WAZ: Contact with each of the 40 radio zones of the world. Awaly "OQ." Charge:

Applicants for any of the above awards are requested to ensure that all conditions have been fulfilled before application is made and that the prescribed fee is encoosed with the application Registration of all verifications is recommended. It is also essential that the application be made direct to the authority listed for each award.

Minds for each award
In the past many applicants have taken the
any and oft-time cheap way out by forwarding applications for overseas certificates to the
ing applications for overseas certificates to the
will be given to any applicant, the handling
of any application, other than those lated
officials, who gratuitously give their time and
energy to Institute affairs, have sufficient
tegitimate doubte to perform, and all mistegitimate doubte to perform, and all mistegitimate the sufficient of the senderseason of the sufficient of the

VK5WI STAND AT EXHIBITION

TECRNICAL DESCRIPTION
Bands of Operation 7 14, 50, and 288 Mc 7 snd 11 Mr. Transmitter RF 704 xtal csr. 207 buffer (doubler on 14 Mc;, and 213 final Audio-crystal mike to 8571 and 815 speech amplifier, 698 driver, pair 213 in Class B as modulators. Plate and screen modulating 213

This transmitter was a converted Philips broadesst transmitter and was converted by members of the Exhibition Consmitter. It made was much favourable comments from member of the public. The transmitter was epsible of with Regulations, the Input was Federal with Regulations, the Input was reduced to the waste and ran at this point for the duration Receiver. ART for both 7 and 14 Me

Antenna: 7 Mc.—The popular 68 ft. "all band" antenna, fed 23 ft. from one end with 300 ohm ribbon. 14 Mc.—Two element close-

by scores of motion driving the many working exhibits and extensive use was made of official performing official link drivy were VKGGT. The performing official link drivy were VKGGT. The performing official link drivy were VKGGT. The performance of the perform

with similar results repaired a small public selector Fability Address stystem to the public selector between the two ANNs in the pholosophic between the two ANNs in the pholosophic between the two ANNs in the pholosophic between the two ANNs in the public public and the results of the comming and outgoing signals in order that they may hear both side out the conversaments to the public and the conversaments to the conversaments and the conversaments to the conversaments and the conversaments are conversaments and the conversaments are conversaments and the conversaments are conversaments.



second polary beam mounted on a 20 ft. after the way had fed with 20 dbm. robbon to the control of the control of the control of 20 Mg. Band Transmitter, RF-VTS yell. 20 Mg. Band Transmitter, RF-VTS yell. 20 Mg. Band Mg. Band Covered and the control of the cont

Link Stations: In practice, it was found that very few signals, other than powerful locals, could be received direct due to noise generated Other Equipment: Oscilloscope—Seen on top of the 7/14 Mc transmitter Frequency Meter— Seen on extreme right of operating table Panoramescope—Seen on top of the Frequency Meter and beneath the 258 Mc. receiver Duration of Exhibition: The Exhibition opened

Duration of Exhibition: The Exhibition expended containing on State Mary, 1922, Duration that period, organization and state process of the state of

FEDERAL, QSL, and



DIVISIONAL NOTES

FEDERAL.

FEDERAL OSL BUREAU

say you are away out t be heard on whit is it You—the country man—

IMPORTANT!

New Edition Revised and Enlarged PHILIPS RADIO AND TELEVISION MANUAL by BEARD.

Price 59/6 d., and 2/- postage.

AVAILABLE NOW!

This is a Radio Book no Amateur or Professional can do without

Obtainable from-

McGILL'S AUTHORISED NEWSAGENCY

183-185 ELIZABETH STREET, MELBOURNE, C.1. VICTORIA.

(The G.P.O. is opposite) Phones: M 1475-76-77

one will be welcome and are advised to get a little practice on law to adk for a pall r ferry tokest to the above locale. Many attractive and ornate cards have passed trough from HELTA, R.R.B. Prince Talai All and with grill and the prince that and with grill and and with grill and a state of the prince o

Sized Avishe. A rest pool job in gill on a cell of YEAN, and gill of the gill

The state of the s

NEW SOUTH WALES

NEW SOUTH WALES to May meeting of the N.S.W Division of the N.S.W

Dr. Sub-Seller, SAYP, Burg, Augler, SAYD, Committee, Sida SC, et al. to be appointed. Sida SC, et al. to be appointed to the Burg. School Scho

It goes this time to 2DG for his article on the "Q" Multiplier Ratification of agenda items passed at the Pederal Convention was set down as the main business of the evening and ratification otherwise generally followed the original worting instructions given to the delegate Vaugham Wilson's at necking before the Con-

The meeting was then gooted for general and the second for general and the



WELFFRY SUBTIDES

has acquired a bug. 2AXZ is with a fine signal, the new reg. is is doing a good job. 2ABO ep

again recently, friends will be an that Jack is getting around a non that two logs, we hope it will be speedy Jack. 281, an old timer we requisitly after quite a spell, nice 2BD off to VK7 on leave, execting the spell of the speedy and the speedy are the speedy as the speedy are the speedy are the speedy as the speedy are the

NORTH SHORE ZONE

of vittless from North boats, warmen by the Control of the Control

SOUTH WESTERN ZONE

SOUTH WESTERN ZONE ferold 3GU at Cenberrs was heard by John MV at Forbes on 144 Mc., nice work John (Harold. 2AMF heard on 30 with good sig wart 2PL active on 40, has Command Tx

NORTH COAST AND TABLELANDS ZONE 2ADE, TUC, and ZAHI on 8 ms; rapidly assembling equipment. Ms. Coast boys are active on 80 ms and of light contacts are now being made. 80 ms at night have been heard i 2LR, ZUC, ZAHI, ZRE, ZJK, ZAHH as few others. Geoff, junior op of TLE pleasant tume with Jim SHZ, has der

VALP_WAY DVAN VEGT

VALE—WAL B. E. C., Wal Ry. 15th May of this year, Wal Ry. II, joined the ranks of silent keys Tie record of servi

liss him. Amateure throughout the Common Amateure throughout the Common transity their is sympathy. They feel, les, the we her a great deal for the party has helping Wal to build up his country.

COALFIELDS AND LAKES ZONE With the onset of colder wosther and falling off of conditions on the higher quency bands, quite a number of the



VICTORIA

RADIO ACCESSORIES?

Yes-we have them in PLENTY!

Choose from our large range of:-

Transformers, Chokes and Sundry, for Audio and Power-Resistors in Abundance, enough to fill the Tower. Valves for use in every sphere-Condensers large and small, Meters, Testers, Instruments - Yes Sir, we sell them all.

Distributors for-EDDYSTONE Condensers, Dials, Knobs, etc. BELLING LEE Terminals, Plugs, etc. BULGIN Switches, Bezels,

You give the Orders - We give the Service

GOODMAN 192-196 RUNDLE STREET, ADELAIDE, W 1541

SEASE'S CORNER.

Description of the new 20 hard reverse to the new 20 hard

SOUTH AUSTRALIA

SOUTH AUSTRALIA

The reporter of these motes for search and the product of the search and the se

notify for my best, and If a faith is cert digrams of Ham Radio 2 say recommenda-then I come to you well recommenda-te to one main point that I would like to that is that as a scribe I offers give the that is that as a scribe I offers give the hist ricky you wen, you see me diguised he President of the Instaling Division of the lattice of the Instaling Division of the president of the Instaling Division of the president of the Instaling Division of the lattice of the Instaling Division of the lattice of the Instaling Division of the theory of the Instaling Division of the lattice of the Instaling Division of the I

WESTERN AUSTRALIA

At the May record meeting of the Division membership from 628 and 67%, both of whom membership from 628 and 67%, both of whom the control of the control

The second of th

TASMANIA

NORTH WESTERN ZONE

A new tenin of the circuit has come to hashed to marked the content of the circuit hashed to marked the content of the circuit hashed to marked the circuit hashed to the circui A new design of Rx circuit has come which uses Franklin osc. and many o

HAMADS

9d. per line, minimum 2/-. Advertisement under this heading will only it accepted from Institute Members who desire dispose of equipment which is their own period of the control of the control of the control of the month, and remittance must accompand advertisement. Calculation of not is based on average of six words a line. Dealers' advertisement and accepted in this column.

FOR SALE.—A Bendix TA12G Transmitter complete with built-in Absorption Wave Meter. £12. I. W. Jay, 80 Grandview Gr., Rosanna, Vic. JL 2295, business MX 4641.

WANTED.—Disc, Wire, Tape Recorder. Particulars to C. Gibson, 424 Centre Rd., Bentleigh, Vic. (XU 1554). Urgent.

WANTED .- One Prop. Pitch Motor. T. Dick, 29 Dundas Street, Wellington, New Zealand. Manufacturers of . . .

High Grade Woollen and Worsted Textiles since 1875.

THE CASTLEMAINE WOOLLEN CO. LTD. CASTLEMAINE - - VICTORIA

- AGENTS
 IN ALL
 CAPITAL
 CITIES
- BLANKETS
- FLANNELS
- SADDLERY CLOTHS

WOOLLEN & WORSTED

TWEEDS

COATINGS

- WORSTED SUITINGS
- WOOLLEN & WORSTED FROCKINGS
- SPORTS COATINGS
- SPORTS TROUSERINGS
- WORSTED YARNS WOOL TOPS
- WURSTED TARNS

All The Features You've Asked For.. At A Price You Can Really Afford!



YOU may find it hard to imagine that a Communications Receiver of first class British construction could be the LOWEST PRICED top-performance Receiver on the market. But it's a fact! What's more, the Eddystone "740" is specially designed to meet the exacting requirements of Hams, with a host of important features:

- Wave range from 30.6 Me. to 620 Metres in four bands, with astounding selectivity.
- Excellent signal-to-noise ratio.
- Features BFO for morse reception, switch controlled noise limiter, and efficient AGC system.
- External Loudspeaker connections.
- Adaptable to either 6 volt battery or AC mains operation.

For a free, illustrated technical leaflet, write to your nearest Eddystone Distributor, or to:



Sole Australian Factory Representatives:

R.H.CUNNINGHAM PTY. LTD.

IIR WATTISTEE DOAD ARMADASE CE > CARIE "CHANGE" MEI DOLIDUE TELEBUOME HYADA